

尿素窒素(BUN)(単位 mg/dL)						
蛋白質の代謝産物で、腎臓より排泄されます。主に腎機能の検査に用いられますが、食事などの影響も受けません。						
増加: 腎機能障害、消化管出血、脱水、心不全、高蛋白食、ステロイド剤使用時						
減少: 低蛋白食、多尿、妊娠(臨床的意義は少ない)						
年齢	性別	下限	～	上限		
15日	～	1ヶ月	男女	3.7	～	15.5
1ヶ月	～	2ヶ月	男女	2.8	～	14.5
2ヶ月	～	3ヶ月	男女	2.5	～	14.1
3ヶ月	～	4ヶ月	男女	2.2	～	14.1
4ヶ月	～	5ヶ月	男女	2.3	～	14.3
5ヶ月	～	6ヶ月	男女	2.3	～	14.7
6ヶ月	～	7ヶ月	男女	2.3	～	15.0
7ヶ月	～	8ヶ月	男女	2.5	～	15.4
8ヶ月	～	9ヶ月	男女	2.6	～	15.8
9ヶ月	～	10ヶ月	男女	2.7	～	16.1
10ヶ月	～	11ヶ月	男女	2.9	～	16.7
11ヶ月	～	12ヶ月	男女	3.1	～	17.5
1歳	～	2歳	男女	3.7	～	18.6
2歳	～	3歳	男女	4.5	～	19.0
3歳	～	4歳	男女	5.5	～	19.3
4歳	～	5歳	男女	6.0	～	19.5
5歳	～	6歳	男女	6.5	～	19.5
6歳	～	7歳	男女	6.6	～	19.6
7歳	～	8歳	男女	6.8	～	19.6
8歳	～	9歳	男女	6.8	～	19.4
9歳	～	10歳	男女	6.8	～	19.4
10歳	～	11歳	男女	6.8	～	19.3
11歳	～	12歳	男女	6.8	～	19.3
12歳	～	13歳	男女	6.8	～	19.2
13歳	～	14歳	男女	6.8	～	19.1
14歳	～	15歳	男女	6.8	～	19.0
15歳	～	16歳	男女	6.8	～	18.8
16歳	～	17歳	男女	6.8	～	18.7
17歳	～	18歳	男女	6.8	～	18.6
18歳	～	19歳	男女	6.8	～	18.6
19歳	～	20歳	男女	6.8	～	18.6
20歳	～	21歳	男女	6.8	～	18.6
21歳	～		男女	8.0	～	22.0

Blood Urea nitrogen(BUN)(unit mg/dL)						
Interpretation	It is a metabolite of protein and excreted from the kidneys. Mainly used to test for the kidneys; affected by example diet,					
increase:	Renal dysfunction,Gastrointestinal bleeding,heart failure,dehydration, hvoernproteinemia Steroid use					
decrease:	Low-protein diet,Polyuria					
age	sex	lower limit	～	upper limit		
15day	～	1month	male,female	3.7	～	15.5
1month	～	2month	male,female	2.8	～	14.5
2month	～	3month	male,female	2.5	～	14.1
3month	～	4month	male,female	2.2	～	14.1
4month	～	5month	male,female	2.3	～	14.3
5month	～	6month	male,female	2.3	～	14.7
6month	～	7month	male,female	2.3	～	15.0
7month	～	8month	male,female	2.5	～	15.4
8month	～	9month	male,female	2.6	～	15.8
9month	～	10month	male,female	2.7	～	16.1
10month	～	11month	male,female	2.9	～	16.7
11month	～	12month	male,female	3.1	～	17.5
1year	～	2year	male,female	3.7	～	18.6
2year	～	3year	male,female	4.5	～	19.0
3year	～	4year	male,female	5.5	～	19.3
4year	～	5year	male,female	6.0	～	19.5
5year	～	6year	male,female	6.5	～	19.5
6year	～	7year	male,female	6.6	～	19.6
7year	～	8year	male,female	6.8	～	19.6
8year	～	9year	male,female	6.8	～	19.4
9year	～	10year	male,female	6.8	～	19.4
10year	～	11year	male,female	6.8	～	19.3
11year	～	12year	male,female	6.8	～	19.3
12year	～	13year	male,female	6.8	～	19.2
13year	～	14year	male,female	6.8	～	19.1
14year	～	15year	male,female	6.8	～	19.0
15year	～	16year	male,female	6.8	～	18.8
16year	～	17year	male,female	6.8	～	18.7
17year	～	18year	male,female	6.8	～	18.6
18year	～	19year	male,female	6.8	～	18.6
19year	～	20year	male,female	6.8	～	18.6
20year	～	21year	male,female	6.8	～	18.6
21year	～		male,female	8.0	～	22.0